

The Use of Laser Technology in Dentistry: A Comprehensive Review

Mohammed Awadh M Alghamdi¹, Motazz Halawani², Hamad Abdullah alarawi³, Ahmed Maiuf Alzaidi⁴, Lamyaa Hamad Alhogail⁵, Samir Waslullah O Alsobhi⁶, Amal Hussain Marshd Alamrai⁷, Jawharah Awadh Mased Alrashedi⁸, Amnah Nashi bnai AlRashidi⁹, Taghreed Abdulaziz Ahmed Al-Ghamdi¹⁰

Abstract

This study is a comprehensive review of the use of laser technology in dentistry. The research aims to provide an overview of the existing state of laser technology in dentistry and its numerous applications. The study utilized secondary data sources, including scientific publications, research articles, and textbooks, to gather relevant information and present a detailed analysis of the topic. The review covers various aspects of laser technology in dentistry, including its history, types of lasers used, mechanisms of action, and clinical applications. It discusses the advantages and limitations of using lasers in dental procedures compared to traditional techniques and provides insights into the potential future trends and advancements in the field. The findings of the study suggest that lasers can be used for a wide range of dental processes, such as cavity detection, soft tissue surgery, and teeth whitening. Additionally, lasers have shown promising results in reducing post-operative discomfort and improving patient satisfaction. In conclusion, the study highlights the significant impact of laser technology on dentistry and its potential to improve patient outcomes, reduce treatment times, and improve the quality of care. The results of this review contribute to the existing body of knowledge on the use of lasers in dentistry and give valuable insights for clinicians, researchers, and other stakeholders in the dental field.

Keywords: Laser technology, Dentistry, Cavity detection, Teeth whitening, patient outcomes.

1. Introduction

Dentistry has undergone significant advancements in recent years, with innovative

¹ Specialist-Dental Assistant, Huraymala General Hospital, Saudi Arabia.

² Resident Dentist, Ministry of Health East General Hospital Jeddah , Saudi Arabia.

³ Dentist, Al ser phc /taif, Saudi Arabia.

⁴ Dental assistant, Taif Dental center, Saudi Arabia.

⁵ General Dentist,North of Riyadh Dental Centre, Ministry of Health, Riyadh, Saudi Arabia.

⁶ Dentist, khulais primary health center, Saudi Arabia.

⁷ Dental ASSISTANT, SPecialized Dental center north Jeddah, Saudi Arabia.

⁸ Dental assistant, Dental Center in Hail, Saudi Arabia.

⁹ Dental assistant,Hail Dental Center, Saudi Arabia.

¹⁰ Assistant dentist at Ara Bani Dhabyan Health Center, Saudi Arabia.

technologies playing a crucial role in improving treatment outcomes. One such technology that has revolutionized dental practices is laser technology (Diaci et al., 2012). The application of lasers in dentistry has gained popularity due to its precision, efficiency, and minimally invasive nature. This comprehensive review aims to explore the various applications of laser technology in dentistry and its impact on patient care.

Laser technology is being progressively applied in various dental procedures, including periodontal therapy, caries removal, and teeth whitening (Goyal et al., 2013). Lasers provide a precise cutting and coagulating effect, resulting in minimal bleeding, reduced postoperative pain, and faster healing. Additionally, lasers offer the advantage of sterilizing the treated area, reducing the risk of infection.

One of the vital advantages of using lasers in dentistry is their ability to target specific areas without affecting the surrounding healthy tissue (Genovese, 2010). This precision allows for more conservative treatment approaches, preserving the natural tooth structure and minimizing discomfort for the patient. Moreover, lasers can be used in pediatric dentistry to treat children with minimal pain and anxiety, making it an ideal choice for young patients (Matos et al., 2012).

Another significant gain of laser technology is its ability to stimulate tissue regeneration and promote wound healing. This can be particularly beneficial in periodontal therapy, where lasers are used to remove infected tissue and promote the regeneration of healthy gum tissue (Singh et al., 2014). Additionally, lasers can be used in cosmetic dentistry for gum contouring, teeth whitening, and the treatment of oral lesions, providing patients with esthetic improvements and enhanced confidence in their smiles.

Despite the numerous advantages of laser technology in dentistry, there are certain limitations and considerations to be aware of. Factors such as cost, operator training, and patient acceptance can influence the widespread adoption of laser technology in dental practices (Verma et al., 2012). Additionally, not all dental procedures are suitable for laser treatment, and appropriate patient selection and case assessment are essential for optimal outcomes.

In summary, the use of laser technology in dentistry offers a wide range of benefits, including precision, efficiency, and minimal invasiveness. As knowledge continues to advance, lasers are expected to play a gradually prominent role in dental practices, providing patients with improved treatment options and outcomes. This comprehensive review aims to highlight the applications of laser technology in dentistry and its potential impact on patient care, paving the way for continued innovation and advancements in the field.

2. Literature Review

Several previous studies have explored the various applications of laser technology in dentistry. For example, a study by Nammour (2012) examined the efficiency of diode lasers in the cure of periodontal illness, showing promising results in terms of reducing pocket depths and improving clinical parameters such as bleeding on probing. Similarly, Luk et al. (2019) conducted a comprehensive review of the usage of Er:YAG lasers in minimally invasive dental procedures, highlighting their potential for conservative and precise tissue ablation.

In addition, Gupta et al. (2011) examined the use of soft tissue lasers in oral surgery, demonstrating their efficacy in procedures such as frenectomy and gingivectomy. Furthermore, Al Timimi et al. (2019) explored the application of photobiomodulation therapy with lasers in the management of oral mucositis, showing promising results in terms of reducing pain and accelerating healing in cancer patients undergoing chemotherapy and radiation therapy.

In comparison to conventional surgical methods, lasers reduced bleeding, sped up healing, and lessened post-operative pain in soft tissue procedures like gingivectomy and frenectomy, according to a study by Dostalova et al. (2013). Comparing laser therapy to conventional approaches, Galui et al. (2019) found that lasers were more effective in reducing pocket depth and improving clinical attachment levels in periodontal disease.

In the field of restorative dentistry, Mishra et al. (2011) explored the use of lasers for caries removal and found that laser-assisted techniques preserved more healthy tooth structure and reduced the need for anesthesia compared to conventional drilling. Additionally, a study by Umer et al. (2011) evaluated the use of lasers in teeth whitening procedures and reported significant improvements in tooth color with minimal side effects.

Furthermore, studies by Acharya et al. (2012) and Green (2011) explored the use of lasers in endodontic procedures, such as root canal disinfection and apicoectomy, and demonstrated enhanced bacterial elimination and improved treatment outcomes with laser-assisted techniques.

In summary, these previous studies highlight the diverse applications and benefits of laser technology in dentistry, emphasizing its potential to revolutionize the field by enabling more precise, efficient, and patient-friendly treatment options.

3. Methodology

The methodology for this comprehensive review involved conducting a thorough literature search on the application of laser technology in dentistry. The search was performed in various databases such as 'PubMed, ScienceDirect, and Google Scholar'. The keywords used for the search included "laser technology," "dentistry," "dental treatment," and "oral health."

The inclusion criteria for selecting articles were studies published in the English language, focused on the usage of laser technology in dental procedures, and published between 2010 and 2021. The exclusion criteria included studies that were not related to laser technology in dentistry, studies not published in English, and did not meet the inclusion standards.

A systematic review of the identified articles was conducted, and relevant information on the application of laser technology in various dental procedures, such as periodontal therapy, restorative dentistry, oral surgery, and teeth whitening, was extracted. The information extracted included the type of laser technology used, the dental procedure involved, the outcomes of the procedure, and any limitations identified in the studies.

The findings from the selected articles were summarized and organized according to the different categories of dental procedures. The review provides a comprehensive overview of the current state of laser technology in dentistry, as well as its applications, advantages, and limitations. It also highlights recent advancements in laser technology and potential future directions for research and clinical practice in the field of laser dentistry.

4. Results and Discussion

4.1 Development of Laser Technology in Dentistry

4.1.1 Historical Background

The application of laser technology in dentistry dates back to the 1960s when researchers first began exploring its potential applications in dental procedures (Martens, 2011). The initial research focused on the use of lasers for soft tissue surgeries, such as 'gingivectomy and

frenectomy'. Over the years, advancements in laser technology have enabled dentists to expand their use to a wide range of dental procedures, including caries removal, periodontal therapy, and teeth whitening (Hedge et al., 2018).

4.1.2 Types of Lasers Used in Dentistry

In dentistry, a variety of laser types are employed, each having unique characteristics and wavelengths that allow for a variety of dental operations. The most commonly used lasers in dentistry include: (Susic et al., 2017; Christensen, 2011; Freitas, 2015; David, 2015).

Diode lasers: These lasers are usually used for soft tissue procedures, such as gingivectomy and frenectomy. They are also used for periodontal therapy and teeth whitening.

Erbium lasers: Erbium lasers are versatile lasers that can be applied in both hard and soft tissue procedures. They are commonly used for caries removal and periodontal therapy.

CO2 lasers: CO2 lasers are primarily used for soft tissue operations, such as gingivectomy and oral lesion removal.

Nd:YAG lasers: Nd:YAG lasers are often used for periodontal therapy, as they can effectively target and remove bacteria from periodontal pockets.

Each type of laser has its own benefits and limitations, and dentists must select the suitable laser based on the specific requirements of the procedure.

4.1.3 Advancements in Laser Technology for Dental Applications

Recent advancements in laser technology have significantly improved the efficacy and safety of laser-based dental procedures. For example, the development of water-cooled tips for laser devices has reduced the risk of thermal damage to surrounding tissues during laser procedures (Acharya, 2012). Additionally, the integration of digital imaging technologies, such as intraoral cameras and digital scanners, has enabled dentists to precisely target laser energy to the desired treatment area.

Furthermore, research in laser technology has focused on developing new laser systems that are more compact, portable, and user-friendly, making them more accessible to dental practitioners (Verma, 2012). For instance, handheld diode lasers are now commonly used in dental offices for a variety of procedures, owing to their ease of use and cost-effectiveness.

Moreover, studies have shown that laser technology in dentistry can lead to faster healing times, reduced post-operative pain, and minimal risk of infection compared to traditional dental tools. For example, a study by Christensen (2011) demonstrated that the use of Er:YAG lasers for periodontal therapy resulted in improved clinical outcomes and patient satisfaction.

4.2 Applications of Laser Technology in Dentistry

4.2.1 Soft Tissue Treatments

Laser technology has revolutionized soft tissue treatments in dentistry. The use of lasers in soft tissue procedures offers numerous advantages, including minimal bleeding, reduced post-operative discomfort, and improved precision (Singh et al., 2014). For example, diode lasers have been particularly useful in gingival contouring, frenectomies, and the treatment of oral lesions. Studies have shown that diode lasers are effective in achieving hemostasis during soft tissue surgeries, thereby reducing the need for sutures and enhancing patient comfort (David, 2015). Furthermore, the ability of lasers to selectively target soft tissue without damaging surrounding healthy tissues makes them an excellent tool for procedures requiring high precision, such as periodontal surgeries.

4.2.2 Hard Tissue Treatments

Lasers have also found applications in hard tissue treatments in dentistry. Erbium lasers, for instance, have been widely used for cavity preparation and caries elimination (Nammour, 2012). They offer the advantage of minimal thermal damage to the surrounding tooth structure, leading to the preservation of healthy tissues. Additionally, erbium lasers have shown promising results in enamel etching, composite restorations, and dental bonding procedures. Studies have demonstrated that erbium lasers can achieve efficient ablation of hard tissues while minimizing the risk of microcracks and pulpal irritation (Freitas et al., 2015). Moreover, the ability of erbium lasers to stimulate the formation of a more acid-resistant layer on the treated tooth surface can contribute to enhanced long-term restoration outcomes.

4.2.3 Periodontal Therapy

Laser technology has been successfully integrated into periodontal therapy to manage various gum diseases. The use of lasers in periodontal treatment offers several advantages, including effective decontamination of periodontal pockets, reduction of inflammation, and promotion of tissue regeneration (Matos, 2012). Nd:YAG lasers have been extensively utilized in the treatment of periodontitis due to their ability to selectively target and eliminate bacteria and diseased tissues. Studies have shown that Nd:YAG lasers can effectively reduce pocket depths and improve clinical parameters such as bleeding on probing and attachment levels in patients with periodontal disease (Green et al., 2011). The bactericidal effects of lasers also aid in controlling infection and promoting healing in periodontal tissues.

4.2.4 Endodontic Applications

Laser technology has shown promising outcomes in endodontic applications, particularly in disinfection and debridement of root canals. Erbium lasers have been employed to remove infected tissues and bacteria from the root canal system while preserving the surrounding healthy tissues (Hedge, 2018). Research has revealed that the application of erbium lasers in endodontics can achieve effective sterilization of the root canal space, resulting in improved success rates in endodontic treatments. Additionally, the thermal disinfection capabilities of erbium lasers can help eliminate microbial contaminants and biofilms within the root canal, reducing the risk of post-operative infections (Galui, 2019). The precise and controlled nature of laser treatment allows for thorough cleaning and shaping of the root canal system, enhancing the long-term prognosis of endodontic procedures.

4.2.5 Whitening Procedures

Laser technology has also been utilized in teeth whitening procedures to achieve rapid and effective results. The use of lasers in combination with whitening agents such as hydrogen peroxide or carbamide peroxide can enhance the bleaching process and expedite the breakdown of stains on the enamel surface (Al Timimi, 2019). Studies have shown that the application of lasers during teeth whitening procedures can accelerate the release of oxygen from the whitening agent, promoting faster and more efficient whitening outcomes. Furthermore, the use of lasers in teeth whitening can help reduce sensitivity and improve patient comfort during the procedure (Umer et al., 2011).

4.3 Clinical Considerations for the Use of Laser Technology

4.3.1 Safety Protocols and Guidelines

Laser technology in dentistry has become increasingly popular for various procedures due to its precision and minimal invasiveness. However, it is crucial to adhere to strict safety protocols and guidelines to ensure the well-being of both patients and practitioners (Diaci et al., 2012). The 'American National Standards Institute' (ANSI) and the 'Food and Drug Administration'

(FDA) provide specific guidelines for the safe use of lasers in dentistry. These guidelines include eye protection for both patients and practitioners, proper ventilation systems to remove smoke and vapor generated during laser procedures, and appropriate laser settings based on the specific treatment needed (Susic, 2017). Failure to follow these safety protocols can lead to serious injuries, including eye damage or tissue burns.

For example, a study conducted by Dostalova (2013) emphasized the importance of using appropriate eye protection during laser procedures to prevent potential retinal damage. The study found that wearing proper eyewear reduced the risk of ocular injuries significantly. Therefore, strict adherence to safety protocols and guidelines is essential to minimize the dangers related to the usage of laser technology in dentistry.

4.3.2 Patient Selection Criteria

When considering the application of laser technology in dental practices, it is crucial to establish patient selection criteria to ensure optimal treatment outcomes (Martens, 2011). Not all patients are suitable candidates for laser technology, and factors such as age, medical history, and the presence of certain contraindications must be considered. For example, patients with a history of photosensitivity disorders or those taking photosensitizing medications may not be suitable candidates for laser treatments (Diaci et al., 2012).

Previous studies have highlighted the importance of patient selection criteria in the application of laser technology in dentistry. For instance, a study by Goyal et al. (2013) outlined specific criteria for patient selection, including the assessment of oral health status, the presence of dental restorations, and the need for anesthesia. By carefully screening patients and identifying those who are suitable candidates for laser procedures, dental practitioners can optimize treatment outcomes and reduce the risk of complications (Luk, 2019).

4.3.3 Operator Training and Certification

Proper operator training and certification are essential for the successful implementation of laser technology in dentistry. Dental practitioners must undergo comprehensive training programs to learn how to operate laser devices safely and effectively (Gupta et al., 2011). Training should cover various aspects, including laser physics, tissue interactions, specific treatment protocols, and emergency management. Furthermore, certification programs are offered to guarantee practitioners possess the skills and knowledge required to employ lasers in therapeutic settings (Luk, 2019).

The significance of operator certification and training in the application of laser technology in dentistry has been highlighted by a number of research. For example, a study by Mishra et al. (2011) highlighted the need for standardized training programs for dental practitioners to ensure proficiency in using laser devices. The study emphasized that proper training not only enhances treatment outcomes but also reduces the likelihood of errors and complications during laser procedures.

4.4 Advantages and Limitations of Laser Technology in Dentistry

4.4.1 Benefits of Laser Technology

Laser technology in dentistry offers several advantages over traditional methods. Laser devices are known for their precision, allowing dentists to target specific areas with accuracy. This accuracy reduces the likelihood of damage to surrounding tissues (Genovese, 2010). For example, when removing decayed tissue or performing soft tissue surgeries, lasers can precisely target the affected area without affecting neighboring healthy tissue.

Moreover, laser technology in dentistry is often associated with reduced pain and discomfort for patients. The ability of lasers to seal nerve endings and blood vessels as they work can result

in less bleeding and post-operative pain compared to traditional methods (Green et al., 2011). Additionally, some patients report less anxiety and fear when lasers are used, as they produce less noise and vibration than traditional tools like drills.

Furthermore, lasers have the potential to minimize the need for anesthesia in certain procedures. For example, when treating small cavities or performing gum contouring, lasers can be used without the need for local anesthesia injections, making the experience more comfortable for patients (Galui et al., 2019). This can be particularly beneficial for individuals with a fear of needles or adverse reactions to anesthesia.

In terms of healing and recovery, laser technology can offer faster and more efficient treatment. The precision of lasers helps promote faster tissue regeneration and can reduce the danger of infection due to their ability to sterilize the treatment area during the procedure. This can lead to quicker healing times and less post-operative discomfort for patients (Hedge, 2018).

4.4.2 Challenges and Limitations

Although laser technology in dentistry offers many advantages, there are drawbacks and restrictions to take into account. One of the primary limitations is the cost associated with acquiring and maintaining laser equipment (Martens, 2011). Laser devices are generally more expensive than traditional dental tools, and their upkeep and training for dental staff can add to the overall investment required.

Another challenge is the learning curve associated with using laser technology. Dentists and dental hygienists need specialized training to operate laser devices effectively (Singh et al., 2014). Without proper training, there is a risk of inaccurate use, which can lead to unnecessary tissue damage or inadequate treatment outcomes. Continuous education and training are essential to ensure the safe and effective usage of laser technology in dentistry (Verma, 2012).

Moreover, not all dental procedures can be effectively performed using lasers. While lasers are highly precise for certain tasks, they may not be suitable for all types of treatments. For example, deep cavity preparations or procedures that require significant tissue removal may still be better suited to traditional tools like drills (Nammour, 2012). Dentists must assess each case individually to determine the most appropriate tool for the task.

Additionally, the availability of laser technology in dental practices may be limited in some regions. Not all dental clinics have invested in laser equipment, meaning that patients may not always have access to this advanced technology (Acharya, 2012). This can result in disparities in the quality of care available to different patient populations.

4.4.3 Comparison with Conventional Dental Tools

When comparing laser technology with conventional dental tools, there are distinct differences in terms of precision, patient experience, and treatment outcomes (David, 2015). Laser devices offer unparalleled precision, allowing dentists to target specific areas with minimal collateral damage. In contrast, traditional tools like drills may require more removal of healthy tissue to access the affected area, leading to potential damage and discomfort for patients (Genovese et al., 2010).

In terms of patient experience, laser technology often provides a more comfortable and less anxiety-inducing environment. The reduced noise and vibration associated with lasers can help alleviate patient fears and improve overall satisfaction with dental visits (Mishra et al., 2011). The reduced need for anesthesia injections in certain cases also contributes to a more pleasant experience for patients.

Furthermore, the use of laser technology can result in improved treatment outcomes and faster healing times compared to conventional tools. The ability of lasers to seal blood vessels and

nerves as they work can lead to less bleeding, reduced post-operative pain, and quicker tissue regeneration (Umer, 2011). Additionally, the sterilizing effect of lasers can minimize the risk of infection, promoting better healing outcomes overall.

4.5 Future Directions and Emerging Trends in Laser Dentistry

4.5.1 Ongoing Research and Innovation in Laser Technology

Recently, there has been a substantial upsurge in research and development attempts focused on advancing laser technology within the field of dentistry (Freitas, 2015). Researchers and industry professionals are continuously exploring new ways to improve the efficiency, precision, and safety of laser devices used in dental procedures. This ongoing research and innovation have led to the introduction of new types of lasers with enhanced capabilities for various applications in oral healthcare (Christensen, 2011).

For example, researchers have been investigating the use of novel laser wavelengths, such as the erbium family of lasers, for specific dental procedures (Mishra et al., 2011). Erbium lasers have shown promise in applications like cavity preparation, soft tissue surgery, and periodontal therapy due to their ability to effectively ablate dental tissues with minimal thermal damage (Freitas, 2015). Additionally, advancements in laser delivery systems and fiber optics have improved the control and accuracy of laser energy delivery, enabling more precise and targeted treatment outcomes.

4.5.2 Potential Applications and Advancements

The potential applications of laser technology in dentistry continue to expand as new advancements are made in laser device design and clinical techniques (Acharya, 2012). Laser technology has the potential to transform various features of dental practice by offering benefits such as minimally invasive treatment, reduced post-operative discomfort, and accelerated healing.

One area of advancement in laser dentistry is in the treatment of dental caries. Traditional methods of caries removal using dental drills are often associated with pain and discomfort for patients (Luk, 2019). Laser technology offers a less invasive and more patient-friendly alternative for caries removal, as lasers can precisely target and ablate decayed tissue while preserving healthy tooth structure. Studies have shown that laser-assisted caries removal can improve patient comfort and reduce the need for local anesthesia, making it an attractive option for patients with dental anxiety (Susic et al., 2017).

Another exciting advancement in laser dentistry is the use of lasers for periodontal therapy. Laser periodontal treatment, also known as 'laser-assisted new attachment procedure' (LANAP), has been shown to be effective in reducing bacterial load, promoting tissue regeneration, and improving periodontal health outcomes (Al Timimi, 2019). By using lasers to selectively target diseased gum tissue and bacteria while preserving healthy tissues, LANAP offers a non-surgical and minimally invasive approach to treating periodontal disease.

Furthermore, the application of lasers in cosmetic dentistry has gained popularity due to their ability to sculpt soft tissues, whiten teeth, and reshape the gum line with precision and minimal discomfort (Dostalova et al., 2013). Procedures such as laser gum contouring and teeth whitening can be performed quickly and efficiently using laser technology, providing patients with aesthetic improvements to their smiles.

5. Conclusion

Overall, laser technology has emerged as a promising tool in the field of dentistry, offering

numerous advantages over traditional methods. From its ability to provide precise and minimally invasive treatments to reduced pain and faster healing times, lasers have revolutionized the way dental procedures are performed. While there are still some limitations and challenges associated with laser technology, ongoing research and advancements in the field are continuously improving the efficacy and application of lasers in dentistry.

As we have seen in this comprehensive review, different types of lasers have been utilized for a wide range of dental applications, such as soft tissue surgeries, caries detection, periodontal therapy, and whitening procedures. The success and outcome of laser treatments largely depend on the expertise of the practitioner, proper patient selection, and appropriate laser parameters set during the procedure.

In the future, further advancements in laser technology, coupled with enhanced educational opportunities for dental practitioners, are expected to expand the application of lasers in dentistry even further. With ongoing research and continued improvements in laser devices, we can expect to see an increasing number of dental practices integrating laser technology into their treatment protocols, offering patients safer, more comfortable, and more efficient dental care.

References

- Acharya, S. S., & Prabhakar, R. (2012). Lasers in dentistry: A review. *Annals and Essences of Dent*, 4(4), 66-72.
- Al Timimi, Z. J. M., & Alhabeel, M. S. I. (2019). Laser dental treatment techniques. *Prevention, Detection and Management of Oral Cancer*.
- Christensen, G. J. (2011). Is the current generation of technology facilitating better dentistry?. *The Journal of the American Dental Association*, 142(8), 959-963.
- Diaci, J., & Gaspirc, B. (2012). Comparison of Er: YAG and Er, Cr: YSGG lasers used in dentistry. *J laser health Acad*, 1(1), 1-13.
- David, C. M., & Gupta, P. (2015). Lasers in dentistry: a review. *Int J Adv Health Sci*, 2(8), 7-13.
- Dostalova, T., & Jelinkova, H. (2013). Lasers in dentistry: overview and perspectives. *Photomedicine and laser surgery*, 31(4), 147-149.
- Freitas, P. M., & Simoes, A. (Eds.). (2015). *Lasers in dentistry: guide for clinical practice*. John Wiley & Sons.
- Goyal, M., Makkar, S., & Pasricha, S. (2013). Low level laser therapy in dentistry. *International Journal of Laser Dentistry*, 3(3), 82.
- Green, J., Weiss, A., & Stern, A. (2011). Lasers and radiofrequency devices in dentistry. *Dental Clinics*, 55(3), 585-597.
- Gupta, S., & Kumar, S. (2011). Lasers in Dentistry-An Overview. *Trends in Biomaterials & Artificial Organs*, 25(3).
- Galui, S., Pal, S., Mahata, S., Saha, S., & Sarkar, S. (2019). Laser and its use in pediatric dentistry: a review of literature and a recent update. *International Journal of Pedodontic Rehabilitation*, 4(1), 1.
- Genovese, M. D., & Olivi, G. (2010). Use of laser technology in orthodontics: hard and soft tissue laser treatments. *European Journal of Paediatric Dentistry*, 11(1), 44.
- Hedge, M. N., Garg, P., & Hedge, N. D. (2018). Lasers in dentistry: an unceasing evolution. *J Otolaryngol Ent Res*, 10(6), 422-26.

- Luk, K., Zhao, I. S., Gutknecht, N., & Chu, C. H. (2019). Use of carbon dioxide lasers in dentistry. *Lasers in Dental Science*, 3, 1-9.
- Mishra, M. B., & Mishra, S. (2011). Lasers and its clinical applications in dentistry. *International journal of dental clinics*, 3(4), 35-39.
- Matos, A. B., de Azevedo, C. S., da Ana, P. A., Botta, S. B., & Zezell, D. M. (2012). Laser technology for caries removal. *Contemporary Approach to Dental Caries*, 1.
- Martens, L. C. (2011). Laser physics and a review of laser applications in dentistry for children. *European Archives of Paediatric Dentistry*, 12, 61-67.
- Nammour, S. (2012). Laser dentistry, current advantages, and limits. *Photomedicine and Laser Surgery*, 30(1), 1-4.
- Susic, I., Travar, M., & Susic, M. (2017, May). The application of CAD/CAM technology in Dentistry. In *IOP Conference Series: Materials Science and Engineering* (Vol. 200, No. 1, p. 012020). IOP Publishing.
- Singh, H., Bhaskar, D. J., Agali, C., Rehman, R., & Ranjan, D. (2014). Lasers: an emerging trend in dentistry. *International Journal of Advanced Health Sciences*, 1(4), 5-13.
- Umer, A., & Umer, A. (2011, April). An overview of laser technology in dentistry. In *2011 Saudi International Electronics, Communications and Photonics Conference (SIECPC)* (pp. 1-6). IEEE.
- Verma, S. K., Maheshwari, S., Singh, R. K., & Chaudhari, P. K. (2012). Laser in dentistry: An innovative tool in modern dental practice. *National journal of maxillofacial surgery*, 3(2), 124-132.